

TIME



TM01 BEIGE



24"×24" MATTE



12"×24" MATTE




12"×12" MATTE



4"×12" Bullnose MATTE

PERFORMANCE

	Color Variation	D.C.O.F	Breaking Strength	MOHS	Water Absorption	Chemical Resistance	Abrasion Resistance	Thermal Shock Resistance	Frost Resistance
U.S. Inspection Standards	N/A	ANSI A 137.1	ASTM C648	Scratch Hardness 1-10	ASTM C373	ASTM C650	ASTM C1027	ASTM C484	ASTM C1026
Factory Test Result	V3	≥0.42 Wet	> 450 lbs	Class 7	<0.5%	Resistant	Resistant	Resistant	Resistant



V3-High Variation

TIME



TM02 GRAY



24"×24" MATTE



12"×24" MATTE




12"×12" MATTE



4"×12" Bullnose MATTE

PERFORMANCE

	Color Variation	D.C.O.F	Breaking Strength	MOHS	Water Absorption	Chemical Resistance	Abrasion Resistance	Thermal Shock Resistance	Frost Resistance
U.S. Inspection Standards	N/A	ANSI A 137.1	ASTM C648	Scratch Hardness 1-10	ASTM C373	ASTM C650	ASTM C1027	ASTM C484	ASTM C1026
Factory Test Result	V3	≥0.42 Wet	> 450 lbs	Class 7	<0.5%	Resistant	Resistant	Resistant	Resistant



TIME



TM03 NOCE



24"×24" MATTE



12"×24" MATTE




12"×12" MATTE



4"×12" Bullnose
MATTE

PERFORMANCE

	Color Variation	D.C.O.F	Breaking Strength	MOHS	Water Absorption	Chemical Resistance	Abrasion Resistance	Thermal Shock Resistance	Frost Resistance
U.S. Inspection Standards	N/A	ANSI A 137.1	ASTM C648	Scratch Hardness 1-10	ASTM C373	ASTM C650	ASTM C1027	ASTM C484	ASTM C1026
Factory Test Result	V3	≥0.42 Wet	> 450 lbs	Class 7	<0.5%	Resistant	Resistant	Resistant	Resistant



V3-High Variation